

Effective: March 15, 2013
Supersedes schedule AC-412
dated April 15, 2012
Prices subject to change without notice
Form No. AC-313
U.S. and Canada Pricing Only (U.S. Dollars)



AIRCRAFT CABLE AND SMALL CORD U.S. and Canada Price Schedule No. AC-313



DISTRIBUTION CENTERS

CASPER, WY
HOUSTON, TX
OKLAHOMA CITY, OK
PITTSBURGH (Trafford), PA
SEDALIA, MO

2199 Pyrite Drive, 82601
5301 Polk, Building 11, 77023
6700B South Sooner Road, 73135
2500 Commerce Circle, 15085
303 Curry Drive, 65301

Telephone

FAX

307/472-0111
713/675-1000
405/737-1113
412/373-6122
660/827-1643

307/473-8557
713/675-3387
405/737-8004
412/373-6127
660/827-1672

Corporate Headquarters

KANSAS CITY, MO

12200 NW Ambassador Drive, 64163-1244

Telephone

FAX

816/270-4700

816/270-4707

WireCoWorldGroup.com

A thick, solid red horizontal bar that tapers slightly towards the right end, located at the bottom of the page.

TERMS AND CONDITIONS

Prices	All prices are subject to change without notice and are subject to Seller's prices in effect at time of shipment. The prices herein are net and exclude any City, County, State, Federal taxes where applicable.
Minimum Charge	No invoice will be rendered for less than \$500.00.
Payment Terms	Net 30 days from date of invoice subject to credit approval.
Reels	No credit allowed for return of empty reels.
Delivery	All shipments are F.O.B. shipping point. For shipments under 5,000 lbs. (rope weight only), no freight allowance will be applicable. Shipments of 5,000 lbs. or more (rope weight only) freight allowed to any recognized common carrier point in the continental U.S.A., except Alaska and Hawaii. On shipments of 5,000 lbs. or more to Alaska freight will be allowed to Seattle, Washington only. On shipments of 5,000 lbs. or more to Hawaii, freight will be allowed to Los Angeles or San Francisco, California only. All means of transportation and routing shall be subject to the control of the seller. Any additional charges incurred for shipping by customer-designated carriers, specialized carriers, or customer requested shipments beyond reasonable dispatch are the responsibility of the buyer.
Specialized Equipment	Shipments requiring specialized transportation equipment including flat beds for less than truckload shipments, drop decks, or low boys will result in additional freight charges to the buyer.
Price Discrepancies	Price discrepancies must be reported within 15 days after receipt of invoice.

PRICING INSTRUCTIONS

Unlisted Constructions	Cable to meet MIL-DTL-83420 - add 10%. For requirements exceeding 100,000' of galvanized, or 50,000' of stainless in a specific size, packaged as manufactured unit lengths, please inquire at factory for price and delivery. Items not listed will be considered.
Nonstandard Products	Nonstandard products are subject to a 6.5% additional charge and cannot be returned. Orders for nonstandard items cannot be cancelled. Nonstandard items have minimum run requirements. Certain nonstandard products may require a deposit for acceptance. Items listed in this price schedule are products WireCo WorldGroup offers but are not necessarily standard stocking items.
Intermediate Prices	Use intermediate prices equal to one-half the sum price of the next lower and next higher sizes.
Short Length Charges	Orders for short lengths (100 ft. or less) are subject to a 7.5% additional charge to cover labor and preparation costs.

Any warranty, expressed or implied as to quality, performance or fitness for use of WireCo WorldGroup products is always premised on the condition that the published strengths apply only to new, unused products, that the mechanical equipment on which such products are used is properly designed and maintained, that such products are properly stored, handled, used and maintained, and properly inspected on a regular basis during the period of use.

Seller shall not be liable under any circumstances for consequential or incidental damages or secondary charges including but not limited to personal injury, labor costs, a loss of profits resulting from the use of said products or from said products being incorporated in or becoming a component of any other product.

The wire rope that we produce in our USA mills may include materials produced outside the United States. If your order requires that only materials "melted and manufactured" in the United States be used, please let us know at the time of inquiry.

7x7

AIRCRAFT CABLE*/SMALL CORD

GALVANIZED AND STAINLESS STEEL

Diameter Inches	Approx. Weight Per 100 ft. In pounds	Minimum Breaking Force In pounds	GALVANIZED			Minimum Breaking Force In pounds	STAINLESS			Diameter Inches
			Price per foot				Prices per foot			
			499 ft. and under	500 ft. – 2499 ft.	2500 ft. and over		499 ft. and under	500 ft. – 2499 ft.	2500 ft. and over	
3/64	0.42	270	\$0.45	\$0.41	\$0.38	270	\$0.54	\$0.51	\$0.49	3/64
1/16	0.75	480	0.48	0.42	0.41	480	0.74	0.70	0.61	1/16
3/32	1.6	920	0.55	0.52	0.49	920	1.15	1.06	0.96	3/32
1/8	2.8	1700	0.80	0.73	0.61	1700	1.72	1.60	1.47	1/8
5/32	4.3	2600	0.85	0.80	0.70	2400	2.04	1.88	1.76	5/32
3/16	6.2	3700	0.86	0.82	0.79	3700	2.81	2.65	2.50	3/16
7/32	8.3	4800	1.18	1.06	0.96	4800	3.19	3.01	2.79	7/32
1/4	10.6	6100	1.37	1.31	1.18	6100	3.95	3.71	3.47	1/4

NOTE: Approximate weight per 100 ft. in pounds figures shown for galvanized ropes also apply to stainless ropes listed above.

7x19

AIRCRAFT CABLE*/SMALL CORD

GALVANIZED AND STAINLESS STEEL

Diameter Inches	Approx. Weight Per 100 ft. In pounds	Minimum Breaking Force In pounds	GALVANIZED			Minimum Breaking Force In pounds	STAINLESS			Diameter Inches
			Price per foot				Prices per foot			
			499 ft. and under	500 ft. – 2499 ft.	2500 ft. and over		499 ft. and under	500 ft. – 2499 ft.	2500 ft. and over	
3/32	1.7	1000	\$0.86	\$0.82	\$0.71	920	\$2.32	\$2.16	\$2.05	3/32
1/8	2.9	2000	0.92	0.86	0.82	1760	2.62	2.49	2.32	1/8
5/32	4.5	2800	1.03	0.94	0.89	2400	2.77	2.61	2.46	5/32
3/16	6.5	4200	1.24	1.15	1.03	3700	3.10	2.91	2.68	3/16
7/32	8.6	5600	1.37	1.27	1.18	5000	4.10	3.89	3.61	7/32
1/4	11.0	7000	1.54	1.41	1.31	6400	4.63	4.32	4.02	1/4
9/32	13.9	8000	1.73	1.62	1.47	7800	5.72	5.37	5.06	9/32
5/16	17.3	9800	2.10	1.91	1.79	9000	6.97	6.44	6.06	5/16
3/8	24.3	14,400	2.52	2.32	2.11	12,000	8.94	8.36	7.82	3/8

NOTE: Approximate weight per 100 ft. in pounds figures shown for galvanized ropes also apply to stainless ropes listed above.

*These products are the same weight and minimum breaking force as cables for aircraft use which would meet MIL-DTL-83420. Aircraft cable to meet MIL-DTL-83420 – add 10%.

Preformed Stainless Steel Wire Rope


6x19 IWRC

Diameter Inches	Approx. Weight Per Foot, Pounds	Minimum Breaking Force, Pounds	Price Per foot*
7/16	0.35	16,300	\$ 9.54
1/2	0.46	22,800	11.85
9/16	0.59	28,500	14.77
5/8	0.72	35,000	16.83
3/4	1.04	49,600	23.08
7/8	1.42	66,500	30.87
1	1.85	85,400	38.03
1-1/8	2.34	106,400	48.22
1-1/4	2.89	129,400	56.87
1-3/8	3.50	153,600	59.71
1-1/2	4.16	180,500	62.97

6x36 IWRC

Diameter Inches	Approx. Weight Per Foot, Pounds	Minimum Breaking Force, Pounds	Price Per foot*
1/4	0.116	5,400	\$ 4.89
5/16	0.18	8,300	7.00
3/8	0.26	11,700	8.72
7/16	0.35	15,800	11.04
1/2	0.46	20,400	12.68
9/16	0.59	25,500	15.87
5/8	0.72	31,300	19.64
3/4	1.04	44,400	23.71
7/8	1.42	59,700	31.16
1	1.85	77,300	38.91
1-1/8	2.34	96,600	51.03
1-1/4	2.89	118,300	58.13
1-3/8	3.50	141,400	62.88
1-1/2	4.16	166,000	72.10

*Add 10% for lengths under 500 feet.



! WARNING

Wire rope **WILL FAIL** if worn-out, overloaded, misused, damaged, improperly maintained or abused.
 Wire rope failure may cause serious injury or death!

Protect yourself and others:

- ALWAYS INSPECT wire rope for WEAR, DAMAGE or ABUSE BEFORE USE.
- NEVER USE wire rope that is WORN-OUT, DAMAGED or ABUSED.
- NEVER OVERLOAD a wire rope.
- INFORM YOURSELF: Read and understand manufacturer's literature or "Wire Rope and Wire Rope Sling Safety Bulletin".*
- REFER TO APPLICABLE CODES, STANDARDS and REGULATIONS for INSPECTION REQUIREMENTS and REMOVAL CRITERIA.*

* For additional information or the *BULLETIN*, ask your employer or wire rope supplier.

©1993, Wire Rope Technical Board Form No.193